








| Nr studni | Schemat kinety studni | Średnica studni Ø [cm] | Wys. Kinety h [cm] | Średnica kanału [cm] | | | | Kąt włączenia kanału [°] | | | Różnica wys. na dopływie [cm] | | | Wys. Studni H [cm] | Rzędne włączeń kanałów | | | | Rzędna terenu NT |
|-----------|---|------------------------|--------------------|----------------------|------|----|------|--------------------------|-----|-----|-------------------------------|----|----|--------------------|------------------------|-------|-------|-------|------------------|
| | | | | D0 | D1 | D2 | D3 | α 1 | α 2 | α 3 | C1 | C2 | C3 | | N0 | N1 | N2 | N3 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D2 |  | 120 | 32 | 40 | 11,3 | 40 | 25 | 135 | 180 | 270 | 47 | 0 | 16 | 259 | 32,33 | 32,80 | 32,33 | 32,49 | 34,92 |
| D3 |  | 120 | 32 | 40 | 25 | 40 | 11,3 | 90 | 180 | 225 | 2 | 15 | 26 | 278 | 32,45 | 32,46 | 32,60 | 32,71 | 35,23 |
| D4 |  | 120 | 32 | 40 | - | 30 | 25 | - | 180 | 270 | - | 11 | 0 | 277 | 32,50 | - | 32,61 | 32,50 | 35,27 |
| D5 |  | 120 | 24 | 30 | 20 | 30 | 20 | 90 | 180 | 270 | 12 | 5 | 15 | 211 | 33,34 | 33,46 | 33,38 | 33,49 | 35,45 |
| D6 |  | 120 | 24 | 30 | 20 | 30 | 25 | 108 | 180 | 270 | 15 | 8 | 9 | 202 | 34,54 | 34,69 | 34,62 | 34,62 | 36,56 |
| D7 |  | 120 | 24 | 30 | - | 30 | 25 | - | 180 | 270 | - | 9 | 10 | 217 | 39,45 | - | 39,54 | 39,55 | 41,62 |
| D8 |  | 120 | 24 | 30 | 25 | 30 | - | 90 | 180 | - | 9 | 8 | - | 255 | 40,41 | 40,50 | 40,49 | - | 42,96 |

Tabela wymiarów dla studzienek kanalizacyjnych betonowych














| Nr studni | Schemat kinety studni | Średnica studni Ø [cm] | Wys. Kinety h [cm] | Średnica kanału [cm] | | | | Kąt włączenia kanału [°] | | | Różnica wys. na dopływie [cm] | | | Wys. Studni H [cm] | Rzędne włączeń kanałów | | | | Rzędna terenu NT |
|-----------|---|------------------------|--------------------|----------------------|----|----|----|--------------------------|-----|-----|-------------------------------|----|----|--------------------|------------------------|-------|-------|-------|------------------|
| | | | | D0 | D1 | D2 | D3 | α 1 | α 2 | α 3 | C1 | C2 | C3 | | N0 | N1 | N2 | N3 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D9 |  | 120 | 24 | 30 | - | 30 | - | - | 166 | - | - | 6 | - | 209 | 43,09 | - | 43,15 | - | 45,18 |
| D10 |  | 120 | 24 | 30 | 30 | 30 | - | 105 | 194 | - | 2 | 3 | - | 221 | 43,57 | 43,59 | 43,61 | - | 45,78 |
| D11 |  | 120 | 24 | 30 | - | - | 30 | - | - | 270 | - | - | 3 | 213 | 44,77 | - | - | 44,81 | 46,90 |
| D12 |  | 120 | 24 | 30 | 30 | - | - | 91 | - | - | 3 | - | - | 180 | 45,27 | 45,31 | - | - | 47,07 |
| D13 |  | 120 | 24 | 30 | - | - | 30 | - | - | 269 | - | - | 85 | 200 | 46,20 | - | - | 47,05 | 48,20 |
| D14 |  | 120 | 20 | 25 | 20 | - | 20 | 135 | - | 225 | 7 | - | 7 | 202 | 32,83 | 32,90 | - | 32,90 | 34,85 |
| D15 |  | 120 | 20 | 25 | 20 | - | 20 | 145 | - | 230 | 12 | - | 8 | 193 | 33,34 | 33,46 | - | 33,41 | 35,27 |

Tabela wymiarów dla studzienek kanalizacyjnych betonowych

| Nr studni | Schemat kinety studni | Średnica studni Ø [cm] | Wys. Kinety h [cm] | Średnica kanału [cm] | | | | Kąt włączenia kanału [°] | | | Różnica wys. na dopływie [cm] | | | Wys. Studni H [cm] | Rzędne włączeń kanałów | | | | Rzędna terenu NT |
|-----------|---|------------------------|--------------------|----------------------|----|----|----|--------------------------|-----|-----|-------------------------------|----|----|--------------------|------------------------|-------|-------|-------|------------------|
| | | | | D0 | D1 | D2 | D3 | α 1 | α 2 | α 3 | C1 | C2 | C3 | | N0 | N1 | N2 | N3 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D16 |  | 120 | 20 | 25 | 20 | - | 20 | 135 | - | 225 | 1 | - | 1 | 135 | 32,65 | 32,66 | - | 32,66 | 34,00 |
| D17 |  | 120 | 20 | 25 | 20 | - | 20 | 135 | - | 224 | 66 | - | 6 | 233 | 34,77 | 35,43 | - | 34,83 | 37,10 |
| D18 |  | 120 | 20 | 25 | 20 | - | 20 | 135 | - | 211 | 66 | - | 6 | 232 | 39,68 | 40,34 | - | 39,74 | 42,00 |
| D19 |  | 120 | 20 | 25 | 20 | - | 20 | 142 | - | 218 | 6 | - | 10 | 189 | 40,63 | 40,69 | - | 40,73 | 42,52 |
| D20 |  | 120 | 24 | 30 | 20 | - | 20 | 90 | - | 270 | 11 | - | 11 | 214 | 43,69 | 43,80 | - | 43,80 | 45,83 |
| Di1 |  | 120 | 24 | 30 | - | 15 | 15 | - | 180 | 263 | - | 2 | 3 | 146 | 47,10 | - | 47,12 | 47,13 | 48,56 |