



ZESTAWIENIE STALI							
OPIS	NR	WYMIAR [mm]	DŁUGOŚĆ [mm]	LICZBA SZTUK	MASA [kg / mb]	MASA ogółem [kg]	UWAGI
BLACHA PODSTAWY						205,80	
	B1	525/300/10	-	2		25,00	rozcięta na 3 sztuki
	B2	1140/400/20	-	2		180,80	
BLACHA						45,40	
	B3	309/132/10	-	7		22,40	
	B4	318/136/10	-	7		23,00	
BLACHA 1/2						50,30	
	B5	222/329/8	-	7		16,10	
	B6	192/105/8	-	14		17,70	
	B7	200/160/12	-	4		12,00	podpora
	B8	150/160/12	-	2		4,50	podpora
RURA SŁUP Ø200						2829,40	
	S1	200/80/8850	8850	6	36,60	1943,50	
	S2	200/80/8500	8500	1	36,60	311,10	
	S3	200/80/5235	5235	3	36,60	574,80	
RURA Ø80						1196,00	
	R8-1	82,5 / 4	3960	14	7,74	429,00	
	R8-2	82,5 / 4	691	7	7,74	38,00	
	R8-3	82,5 / 4	702	7	7,74	38,00	
	R8-4	82,5 / 4	662	7	7,74	36,00	
	R8-5	82,5 / 4	660	7	7,74	36,00	
	R8-6	82,5 / 4	5200	7	7,74	282,00	
	R8-7	82,5 / 4	4937	7	7,74	267,00	
	R8-8	82,5 / 4	980	7	7,74	53,00	
	R8-9	82,5 / 4	306	7	7,74	17,00	
RURA Ø50						360,00	
	R5-1	51 / 4	1483	7	4,64	49,00	
	R5-2	51 / 4	1519	7	4,64	49,00	
	R5-3	51 / 4	1490	7	4,64	49,00	
	R5-4	51 / 4	1365	7	4,64	49,00	
	R5-5	51 / 4	773	7	4,64	26,00	
	R5-6	51 / 4	681	7	4,64	25,00	
	R5-7	51 / 4	620	7	4,64	20,00	
	R5-8	51 / 4	550	7	4,64	18,00	
	R5-9	51 / 4	550	7	4,64	18,00	
	R5-10	51 / 4	456	7	4,64	15,00	
	R5-11	51 / 4	371	7	4,64	12,00	
	R5-12	51 / 4	294	7	4,64	10,00	
	R5-13	51 / 4	286	7	4,64	10,00	
	R5-14	51 / 4	274	7	4,64	10,00	
RURA Ø60						303,75	
	R6-1	63,5 / 4	1160	12	5,87	88,00	
	R6-2	63,5 / 4	1100	12	5,87	75,00	
	R6-3	63,5 / 4	625	7	5,87	26,00	
	R6-4	63,5 / 4	1955	1	5,87	114,75	
RURA Ø90						433,05	
	R9-1	88,9 / 4	9400	1	8,38	79,00	
	R9-2	88,9 / 4	9648	1	8,38	81,00	
	R9-3	88,9 / 4	9731	1	8,38	82,00	
	R9-4	88,9 / 4	11400	2	8,38	191,05	+5% = 5695 kg
SUMA						5423,70 kg	